# ?

# Preview JOT Issue 04.2020

#### PAINTEXPO 2020

Great PaintExpo preliminary report
The April issue of JOT is all about the
upcoming PaintExpo. In a large
preliminary report on the trade fair, JOT
provides comprehensive information
about the exhibitors' innovations and
interesting topics. Together with the list
of exhibitors and hall plan, the trade fair
preview is an ideal tool for visitors to
prepare their tour of the fair.

### **WET PAINTING**

Beautiful views with UV Energy-saving UV LEDs are now also suitable for curing coatings on three-dimensional parts. The process is used in the cosmetics industry, for example, when a higher quality appearance of a product is desired. The article describes, for example, the coating and lacquering of lipstick tubes made of ABS.

## **COATINGS**

Paint on the ball - New paints for railway interiors
More and more surfaces in the interior of rail vehicles are being coated with paints - at the same time, the demands on the paint systems used are increasing rapidly. Production and processing are becoming increasingly complex - absolute cost efficiency is required. The article shows new solution concepts.

## **DATES**

Advertising deadline 13.03.2020 Copy deadline: 19.03.2020 Publication date: 03.04.2020

### **POWDER COATING**

In-Mould Coating with powder PIMC stands for powder coating on already heated tools. In this process, fibre composite plastics are bonded with powder coating in a single-stage pressing process. The finished component can be demoulded directly from the mould with a primer layer or top coat. The advantages: Weight and cost reduction, fully automated process with high layer thickness accuracy, no volatile organic compounds.

### **PRETREATMENT**

Chromium-free pretreatment with high corrosion protection
Stricter environmental laws and an increasing metal mix are increasingly pushing traditional phosphating processes to their limits. With a new environmentally friendly thin-film technology, pretreatment can be individually adapted to the substrate and coating. Used in contract coating, the pretreatment method ensures chromium-free production and high corrosion protection.

## **STRIPPING**

The challenge of paint stripping When returning incorrectly coated parts to the production process, quality assurance of the paint stripping process plays an important role. The stripped parts should meet similar quality requirements as new parts in order not to contribute to coating defects again. The article describes problem cases and solution approaches from practice.

#### **INDUSTRIE 4.0**

Fast error detection and data for industry 4.0

At present, quality control in spray painting processes is still carried out visually, which means a great deal of manual and time-consuming work. A novel and automated control system monitors the coating inline and in real time using lasers, high-precision optics and artificial intelligence (AI) - an alternative that is faster, permanently accurate and in the long term more cost-effective.

## **ACCESSORIES**

Antistatic gun against dust
Presentation of a new type of ionizer
that neutralizes static charge and thus
drastically reduces the problems in the
painting process caused by dust
inclusions. The unit, which is powered
by compressed air, is easy to handle and
ensures smooth operation in the
painting cabin.





### PRODUCTION TECHNOLOGY

Power+Free system optimizes the surface coating
Clever time planning and committed project management ensured that the outdated semi-automatic conveyor system of an Austrian contract coater was replaced by a flexible Power+Free conveyor system parallel to the ongoing production process. The newly equipped modern powder coating plant transports metal profiles and other components for window production up to seven metres long - efficiently and environmentally friendly.

### **MEASURE + TESTING**

Objective cross section evaluation
The evaluation of cross cutting tests is
still user-dependent. It is influenced by
the human eye or the abstract
assignment / conversion into numerical
values by visual comparison with
sample images. A new system is
intended to remedy this: By evaluating
the contrast ratio between coating and
substrate, it quickly and repeatedly
determines the percentage of the loss
area, which is the basis for the cross-cut
characteristic value.

### **PARTS CLEANING**

it smartly
In order to efficiently remove impurities
on components, knowledge of their
existence, origin and composition is
essential. A research project dealt with

Detecting contamination and removing

existence, origin and composition is essential. A research project dealt with the use of bidirectional display technology and combined it with easy-to-clean surfaces to quickly detect and remove impurities and contamination. Within the scope of the research work, different layer combinations were investigated.

SPRINGER NATURE

© 2024 Springerfachmedien Wiesbaden